

PRODUCT SPECIFICATIONS

Date: 2016-09-23

PRODUCT NAME	:	Anti-h PCT 4006 SPTN-5
PRODUCT SPECIFICITY	:	Antibody recognizes human Procalcitonin (PCT)
PRODUCT CODE	:	100567
PRODUCT BUFFER	:	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN ₃ as a preservative
SHELF LIFE AND STORAGE	:	Shelf life unspecified, storage at 2-8 °C
ANALYTE DESCRIPTION	:	Procalcitonin (PCT) is a precursor protein of the hormone calcitonin, produced by the thyroid gland. It is a 116 amino acid protein that is cleaved intracellularly to form three peptides: N-terminal procalcitonin, calcitonin, and katacalcin. In healthy individuals, only the calcitonin polypeptide is secreted into the bloodstream, and PCT serum levels are very low. However, in patients with systemic infections, and especially sepsis, serum PCT levels rise rapidly.

PARAMETERS TESTED FROM EACH LOT

PRODUCT APPEARANCE	:	Clear liquid, may precipitate during storage which does not alter the product specifications. Precipitate can be removed by centrifugation or filtering.
PRODUCT CONCENTRATION	:	5.0 mg/ml (+/- 10 %)
PRODUCT ACTIVITY	:	80 – 120 % compared to reference in an IFMA-test
IEF-RANGE	:	6.3 – 7.4
PURITY	:	≥ 95 %

PARAMETERS DETERMINED ONLY DURING PRODUCT R&D PHASE

CLASS AND SUBCLASS	:	IgG ₁
ASSOCIATION CONSTANT	:	Not determined (N/D)
DISSOCIATION CONSTANT	:	N/D
AFFINITY CONSTANT	:	N/D
DETERMINATION METHOD	:	-
ANTIGEN	:	-
CROSS-REACTIVITIES	:	Does not cross-react with canine procalcitonin.

EPITOPE : Anti-h PCT 4006 antibody recognizes the katacalcin domain of procalcitonin, i.e. the region Asp(96) - Asn(116), as calculated from the peptide sequence of the mature PCT protein, without the signal sequence.
The binding epitope is located in the region Val(109)-Asn(116).

EPITOPE GROUP : -

PAIR RECOMMENDATIONS

SOLID	LABEL
-------	-------

4006	4005, 4004
4004, 4005	4006

Please note that pair recommendations are based on results obtained in our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations should be taken only as a directive.

PRODUCT STABILITY

TEMPERATURE, DAYS	RESULT
-------------------	--------

Please note that the shelf life given on page one is based on real time stability testing at +2-8 °C in the product buffer.

-70 °C, 21 days	OK
-20 °C, 21 days	OK
+4 °C, 21 days	OK
+35 °C, 7 days	OK
+35 °C, 21 days	OK
+45 °C, 3 days	OK
+45 °C, 7 days	Failed due to charge changes.

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. The maximum duration of the test is 21 days, except for the +45 °C only 7 days.

MISCELLANEOUS : -

REFERENCES : -

Legal disclaimer

MedixMAB monoclonal antibodies meet their specifications if transported, stored and used according to the instructions for use. See also separate *Notes on use and storage of monoclonal antibodies*. If not otherwise agreed in writing all products are sold under *General Delivery Terms*. Other terms may apply if MedixMAB monoclonal antibodies are purchased from an official distributor of Medix Biochemica products. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission. Further information on products and methods is available from medixMAB website.