

## PRODUCT SPECIFICATIONS

Date: 2016-09-28

<b>PRODUCT NAME</b>	:	Anti-h NGAL 4204 SPTN-5
<b>PRODUCT SPECIFICITY</b>	:	Antibody recognizes human neutrophil gelatinase-associated lipocalin (NGAL)
<b>PRODUCT CODE</b>	:	100581
<b>PRODUCT BUFFER</b>	:	50 mM Na-citrate, pH 6.0, 0.9 % NaCl, 0.095 % NaN <sub>3</sub> as a preservative
<b>SHELF LIFE AND STORAGE</b>	:	Shelf life unspecified, storage at 2-8 °C
<b>ANALYTE DESCRIPTION</b>	:	Neutrophil gelatinase-associated lipocalin (NGAL) is a small glycoprotein expressed in the bone marrow, epithelial tissues associated with antimicrobial defense, and in the distal tubules and collecting duct of the kidney. Elevated levels of blood and urine NGAL are associated with acute or chronic renal failure.

## PARAMETERS TESTED FROM EACH LOT

<b>PRODUCT APPEARANCE</b>	:	Clear liquid, may turn opaque during storage
<b>PRODUCT CONCENTRATION</b>	:	5.0 mg/ml (+/- 10 %)
<b>PRODUCT ACTIVITY</b>	:	80 – 120 % compared to reference in an IFMA-test
<b>IEF-RANGE</b>	:	5.8 – 6.5
<b>PURITY</b>	:	≥ 95 %

## PARAMETERS DETERMINED ONLY DURING PRODUCT R&amp;D PHASE

<b>CLASS AND SUBCLASS</b>	:	IgG <sub>1</sub>
<b>ASSOCIATION CONSTANT</b>	:	Not determined (N/D)
<b>DISSOCIATION CONSTANT</b>	:	N/D
<b>AFFINITY CONSTANT</b>	:	N/D
<b>DETERMINATION METHOD</b>	:	-
<b>ANTIGEN</b>	:	-
<b>CROSS-REACTIVITIES</b>	:	None tested

**EPITOPE** : -

**EPITOPE GROUP** : -

Two antibodies binding to the same, or closely located epitopes, belong to the same group and hence cannot be used as a pair in a sandwich assay. Epitope group numbering does not give any detailed information where the epitope is located.

<b>PAIR RECOMMENDATIONS</b>	<b>SOLID</b>	<b>LABEL</b>
	4204	4202, 4203, 4205
	4202, 4203, 4205	4204

Please note that pair recommendations are based on results obtained in our laboratory. Equally good results may be obtained using other pairs and therefore these recommendations should be taken only as a directive.

<b>PRODUCT STABILITY</b>	<b>TEMPERATURE, DAYS</b>	<b>RESULT</b>
Please note that the shelf life given on page one is based on real time stability testing at +2-8 °C in the product buffer.	-70 °C, 21 days	OK
	-20 °C, 21 days	OK
	+4 °C, 21 days	OK
	+35 °C, 7 days	OK
	+35 °C, 21 days	Failed due to charge changes.
	+45 °C, 3 days	Failed due to charge changes.

Stability testing is performed in the product buffer to see whether different temperatures affect the antigen binding, charge or composition of the antibody. The maximum duration of the test is 21 days, except for the +45 °C only 7 days.

**MISCELLANEOUS** : Antibody recognizes NGAL antigen product no. 610012.

**REFERENCES** : -

### Legal disclaimer

MedixMAB monoclonal antibodies meet their specifications if transported, stored and used according to the instructions for use. See also separate *Notes on use and storage of monoclonal antibodies*. If not otherwise agreed in writing all products are sold under *General Delivery Terms*. Other terms may apply if MedixMAB monoclonal antibodies are purchased from an official distributor of Medix Biochemica products. MedixMAB is a registered trademark of Medix Biochemica and may not be used or reproduced without Medix Biochemica's written permission. Further information on products and methods is available from medixMAB website.